

www.feg.hu



FEG

KONVEKTOR



H12 water heater

HS 80 K, KN
HS 120 K, KN
HS 150 K, KN
water heater



	Euro H12	
Fuel	Natural gas	LP gas
Volumetric capacity (l)	12,5	12,5
Max. rated heat output (KW)	1,7	1,7
Efficiency (%)	88	88
Weight (kg)	15,5	15,5
Height (mm)	610	610
Diameter (mm)	280	280
Heating up period (minute)	36	36
Gas connection	G1/2"	

Only without chimney available

Típus	HS80 K		HS80 KN		HS120 K		HS120 KN		HS150 K		HS150 KN	
Fuel	Natural gas	LP gas	Natural gas	LP gas	Natural gas	LP gas	Natural gas	LP gas	Natural gas	LP gas	Natural gas	LP gas
Volumetric capacity (l)	77	77	77	77	115	115	115	115	155	155	155	155
Max. rated heat output (KW)	5,2	5,2	2	2	6,8	6,8	2	2	7,6	7,6	2	2
Efficiency (%)	86,5	86,5	85	85	85,3	85,3	85	85	85,5	85,5	85	85
Weight (kg)	31	31	31	31	48	48	48	48	53	53	53	53
Height (mm)	800	800	800	800	1100	1100	1100	1100	1350	1350	1350	1350
Diameter (mm)	495	495	495	495	495	495	495	495	495	495	495	495
Heating up period (minute) $\Delta T = 45^{\circ}C$	56	56	151	151	65	65	224	224	79	79	286	286
Output diameter (mm)	76	76	-	-	76	76	-	-	76	76	-	-
Gas connection	G1/2"											
	With chimney						Without chimney					

www.feg.hu



FÉG

KONVEKTOR